

**AMENDMENTS TO THE CLAIMS**

1. (Currently Amended) A method to provide ~~for providing~~ a service in a controlled run-time environment, comprising:

registering a proxy service in said controlled run-time environment wherein said proxy service implements an interface defined according to said controlled run-time environment configured to ~~enable~~ services operating in said controlled run-time environment to interoperate with said proxy service;

receiving service information by said proxy service from a local service executing in said controlled run-time environment via an interface method of said proxy service;

communicating said service information to a remote service from said proxy service;

receiving processed information from said remote service in response to said communicating; and

returning said processed information to said local service from said proxy service.

2. (Original) The method of claim 1 further comprising:

instantiating, by said controlled run-time environment, an object of a class that defines said proxy service.

3. (Original) The method of claim 2 further comprising:

instantiating, by said controlled run-time environment, said object in a partition; and

enabling, by said controlled run-time environment, only services operating in said partition to access said proxy service.

4. (Original) The method of claim 1 wherein said communicating service information comprises:

encapsulating said service information in an extensible mark-up language (XML) file.

5. (Original) The method of claim 1 further comprising:

exposing, by said controlled run-time environment, said proxy service only when access is permitted according to security parameters.

6. (Original) The method of claim 5 wherein said exposing comprises:  
determining user-level authorization from said security parameters.
7. (Original) The method of claim 5 wherein said exposing comprises:  
determining process-level authorization from said security parameters.
8. (Original) The method of claim 1 further comprising:  
creating a log of access to said remote service.
9. (Original) The method of claim 1 wherein said communicating said service  
information comprises:  
  
performing a remote procedure call.
10. (Currently Amended) A system to provide ~~for providing~~ a modular software  
service, comprising:  
  
controlled run-time environment means for managing processes;  
service registry means for registering services operating in said controlled run-time  
environment means, wherein at least one registered service is a proxy service means;  
said proxy service means implementing an interface defined according to said controlled  
run-time environment means for enabling services operating in said controlled run-time  
environment means to interoperate with said proxy service means, said proxy service means  
comprising:  
  
means for receiving service information by said proxy service means from a local service  
executing in said controlled run-time environment means;  
means for communicating said service information to a remote service from said proxy  
service means;  
means for receiving processed information from said remote service in response to said  
communicated service information; and  
means for returning said processed information to said local service.

11. (Original) The system of claim 10 wherein said proxy service means further comprises:

means for verifying said service information that is operable before said means for communicating.

12. (Original) The system of claim 10 wherein said proxy service means further comprises:

means for communicating with a distributed service registry to identify said remote service.

13. (Original) The system of claim 10 wherein said controlled run-time environment means instantiates said object in a partition and only permits services operating in said partition to access said proxy service.

14. (Original) The system of claim 10 where said controlled run-time environment means comprises:

security management means for exposing said proxy service only when said security management means determines access is permitted according to security parameters.

15. (Original) The system of claim 10 wherein said controlled run-time environment means comprises:

logging means for creating a log of access to said remote service.

16. (Original) The system of claim 10 wherein said means for communicating performs a remote procedure call.

17. (Original) A computer-readable medium that comprises executable instructions for providing a service in a controlled run-time environment, said executable instructions comprising:

code for registering a proxy service in said controlled run-time environment wherein said proxy service implements an interface defined according to said controlled run-time environment to enable services operating in said controlled run-time environment to interoperate with said service;

code for receiving service information by said proxy service from a local service executing in said controlled run-time environment via a method of said proxy service;

code for communicating said service information to a remote service from said proxy service;

code for receiving processed information from said remote service in response to said communicating; and

code for returning said processed information to said local service from said proxy service.

18. (Original) The computer-readable medium of claim 17 wherein said proxy service is an object of a class that is instantiated by said controlled run-time environment.

19. (Original) The computer-readable medium of claim 17 wherein said executable instructions further comprise:

code for verifying said service information before said code for communicating is operable.

20. (Original) The computer-readable medium of claim 17 wherein said executable instructions further comprise:

code for communicating with a distributed service registry to identify said remote service.